

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	917	(710/240).CCLS.	US-PGPUB; USPAT	OR	OFF	2010/11/10 21:37
L3	348	(710/241).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/11/10 21:37
L4	524	(710/244).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/11/10 21:37
L5	4781	(711/154).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/11/10 21:37
L6	1572	(711/156).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/11/10 21:37
L7	625	(711/157).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/11/10 21:37
L8	1026	(711/158).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/11/10 21:38
L9	517	(712/32).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/11/10 21:38
L10	158	(712/33).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/11/10 21:38
L11	11	(Shaw\$ and Mcclurg\$ and Jensen\$ and Fish\$ and Moore\$).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/11/10 21:38
L12	57	((ALU or (execution near4 unit)) near4 branching) and @pd<="19991231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/11/10 21:38

L13	0	((ALU or (execution near4 unit)) near4 branching near4 address near4 calculat\$3) and @pd<="19991231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/11/10 21:39
L14	2	((ALU or (execution near4 unit)) near4 branching near4 address) and @pd<="19991231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/11/10 21:39
L15	41	((ALU or (execution near4 unit)) with branching with address) and @pd<="19991231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/11/10 21:39
L16	7	((ALU or (execution near4 unit)) same (branching with address with calculation)) and @pd<="19991231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/11/10 21:39
L17	14	(instructions near4 fetch\$3 near4 (single or one) near4 clock) and @pd<="19971231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/11/10 21:39
L18	16	(MIMD near4 fetch\$3 near4 instructions) and @pd<="19971231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/11/10 21:39
L19	17	(MIMD with fetch\$3 with instructions) and @pd<="19971231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/11/10 21:39
L20	98	(MIMD and (fetch\$3 with instructions)) and @pd<="19971231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/11/10 21:40
L21	27	(MIMD and (fetch\$3 with instructions)) and @pd<="19931231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/11/10 21:40
L22	86	(ALU near4 address\$3 near4 (calculat\$3)) and @pd<="19931231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/11/10 21:40
L23	1	(instruction\$1 near4 streams) with (separate or distinct or different or (first and second)) with ((ALU or execut\$3) with ((input near4 output) or (read near4 write)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/11/10 21:40

L24	11	(instruction\$1 near4 streams) with ((ALU or execut\$3) with ((input near4 output) or (read near4 write)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/11/10 21:40
S1	686	(710/240).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/29 10:40
S2	258	(710/241).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/29 10:40
S3	368	(710/244).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/29 10:40
S4	2428	(711/154).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/29 10:40
S5	985	(711/156).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/29 10:40
S6	438	(711/157).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/29 10:40
S7	731	(711/158).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/29 10:40
S8	389	(712/32).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/29 10:40
S9	137	(712/33).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/07 12:01
S10	45	(input?output near4 processor) same (memory with arbitrat\$3 with access \$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/07 14:18
S11	0	(memory with arbitrat\$3 with access\$3) same (pre? determin\$3 near4 (interval \$1 or tim\$3 or clock\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/07 14:53

S12	0	(memory with arbitrat\$3 with access\$3) same (pre? determin\$3 near4 (interval \$1 or tim\$3 or clock\$3 or cycle\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/07 14:20
S13	1237	(memory with arbitrat\$3 with access\$3) with (interval \$1 or tim\$3 or clock\$3 or cycle\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/07 14:20
S14	59	(memory with arbitrat\$3 with access\$3) with ((interval\$1 or tim\$3 or clock\$3 or cycle\$1) near4 (predetermin\$3 or pre? determin\$3 or known or set \$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/07 14:21
S15	2	(Shaw\$ and Moclurg\$ and Jensen\$ and Fish\$ and Moore\$).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/07 14:46
S16	0	(Shaw\$ or Moclurg\$ or Jensen\$ or Fish\$ or Moore\$).in. and (Patriotic).as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/07 14:47
S17	6	(Shaw\$ or Moclurg\$ or Jensen\$ or Fish\$ or Moore\$).in. and (Patriot\$).as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/07 15:04
S18	77	((("4811208") or ("5091846") or ("5261057") or ("5410654") or ("5410682") or ("5440749") or ("3849765") or ("4217637") or ("5339448") or ("4627082") or ("4503500") or ("4003028") or ("3967104") or ("4553201") or ("4112490") or ("4680698") or ("5414862") or ("4338675") or ("4671837") or ("4453229") or ("3980993") or ("4761763") or ("4315308") or ("4050096") or ("4398265") or ("4539655") or ("3603934") or ("4003033") or ("4037090") or ("4042972") or ("4050058") or ("4067058") or ("4079455") or ("4110822") or ("4125871") or ("4128873") or ("4253785") or ("4354228"))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/07 14:59

		or ("4379977") or ("4382279") or ("4403303") or ("4450519") or ("4463421") or ("4538239") or ("4967326") or ("3878613") or ("3924245") or ("4335447") or ("4616338") or ("4835738") or ("4868735") or ("5179734") or ("4541045") or ("4562537") or ("4577282") or ("4607332") or ("4626988") or ("4649471") or ("4665495") or ("4709329") or ("4713749") or ("4714994") or ("4720812") or ("4772888") or ("4777591") or ("4787032") or ("4860198") or ("4870562") or ("4931986") or ("5036460") or ("5070451") or ("5127091")).PN.				
S19	3	(Shaw\$ or Mcclurg\$ or Jensen\$ or Fish\$ or Moore\$). in. and (nanotronics\$).as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/07 15:04
S20	797	(710/240).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/10/26 16:31
S21	302	(710/241).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/10/26 16:31
S22	438	(710/244).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/10/26 16:31
S23	3427	(711/154).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/10/26 16:31
S24	1242	(711/156).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/10/26 16:32
S25	508	(711/157).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/10/26 16:32
S26	871	(711/158).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/10/26 16:32
S27	445	(712/32).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/10/26 16:32
S28	145	(712/33).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/10/26 16:32
S29	6	((SHAW-GEORGE\$) and (MCCLURG-MARTIN\$) and (JENSEN-BRADLEY\$) and (FISH-RUSSELL\$) and (MOORE-CHARLES\$)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/10/26 16:33

S30	2	(process\$3 near4 unit\$1) same (("input-output" or "I/O" or input?output) near4 processor\$1) same (memor\$3 near4 access\$3) same interrupt\$3 same oscillat\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/10/26 16:37
S31	132	(process\$3 near4 unit\$1) and (("input-output" or "I/O" or input?output) near4 processor\$1) and (memor\$3 near4 interfac\$3) and (interrupt\$3 near4 controll\$3) and (oscillat\$5 near4 clock\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/10/26 16:47
S32	80	(process\$3 near4 unit\$1) and (("input-output" or "I/O" or input?output) near4 processor\$1) and (memor\$3 near4 interfac\$3) and (interrupt\$3 near4 controll\$3) and (oscillat\$5 near4 clock\$3) and (direct near4 memory near4 access\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/10/26 16:47
S33	7	zero-operand\$3 near4 dual-stack\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/10/26 17:52
S34	7	zero?operand\$3 near4 dual? stack\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/10/26 17:53
S35	7	zero?operand\$3 with dual? stack\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/10/26 17:53
S36	0	zero?operand\$3 with stacks	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/10/26 17:53
S37	0	zero near4 operand\$3 with stacks	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/10/26 17:53
S38	304	(operand near4 stack) with (register near4 stack)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/10/26 17:55
S39	17	(operand near4 stack) with (register near4 stack) with (separat\$3 or different\$1 or individual)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/10/26 17:56

S40	3	stacks with ((top and next) near4 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/10/26 17:59
S41	282	phase near4 locked near4 loop near4 microprocessor	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/10/26 18:04
S42	0	phase near4 locked near4 loop near4 microprocessor near4 I/O	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/10/26 18:04
S43	5	((("4488217") or ("4509115") or ("4626985") or ("4912632") or ("4967398")). PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/10/26 20:48
S44	835	(710/240).CCLS.	US-PGPUB; USPAT	OR	OFF	2009/07/20 01:46
S45	314	(710/241).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/07/20 01:47
S46	461	(710/244).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/07/20 01:47
S47	3891	(711/154).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/07/20 01:47
S48	1347	(711/156).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/07/20 01:47
S49	548	(711/157).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/07/20 01:47
S50	932	(711/158).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/07/20 01:47
S51	470	(712/32).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/07/20 01:47
S52	150	(712/33).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/07/20 01:47

S53	9	(Shaw\$ and Mcclurg\$ and Jensen\$ and Fish\$ and Moore\$).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/07/20 01:47
S54	6	((SHAW-GEORGE\$) and (MCCLURG-MARTIN\$) and (JENSEN-BRADLEY\$) and (FISH-RUSSELL\$) and (MOORE-CHARLES\$)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/07/20 01:47
S55	1482	instruction\$1 near4 (fetch\$3 or issu\$3) near4 parallel\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/07/20 01:48
S56	1015	(instruction\$1 near4 (fetch\$3 or issu\$3) near4 parallel\$3) and @pd>="19991231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/07/20 01:49
S57	467	(instruction\$1 near4 (fetch\$3 or issu\$3) near4 parallel\$3) and @pd<="19991231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/07/20 01:49
S58	275	(instruction\$1 near4 fetch\$3 near4 parallel\$3) and @pd<="19991231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/07/20 01:50
S59	123	(instructions near4 fetch\$3 near4 parallel\$3) and @pd<="19991231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/07/20 01:50
S60	57	((ALU or (execution near4 unit)) near4 branching) and @pd<="19991231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/07/20 01:58
S61	0	((ALU or (execution near4 unit)) near4 branching near4 address near4 calculat\$3) and @pd<="19991231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/07/20 01:58
S62	2	((ALU or (execution near4 unit)) near4 branching near4 address) and @pd<="19991231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/07/20 01:59
S63	41	((ALU or (execution near4 unit)) with branching with address) and @pd<="19991231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/07/20 01:59
S64	7	((ALU or (execution near4 unit)) same (branching with address with calculation)) and @pd<="19991231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/07/20 02:04



S65	14	(instructions near4 fetch\$3 near4 (single or one) near4 clock) and @pd<="19971231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/07/20 07:16
S66	16	(MIMD near4 fetch\$3 near4 instructions) and @pd<="19971231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/07/20 07:18
S67	17	(MIMD with fetch\$3 with instructions) and @pd<="19971231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/07/20 07:18
S68	98	(MIMD and (fetch\$3 with instructions)) and @pd<="19971231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/07/20 07:18
S69	27	(MIMD and (fetch\$3 with instructions)) and @pd<="19931231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/07/20 07:18
S70	86	(ALU near4 address\$3 near4 (calculat\$3)) and @pd<="19931231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2009/07/20 07:24
S71	872	(710/240).CCLS.	US-PGPUB; USPAT	OR	OFF	2010/03/29 09:38
S72	329	(710/241).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/03/29 09:38
S73	487	(710/244).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/03/29 09:38
S74	4273	(711/154).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/03/29 09:39
S75	1462	(711/156).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/03/29 09:39
S76	584	(711/157).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/03/29 09:39
S77	985	(711/158).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/03/29 09:39

S78	487	(712/32).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/03/29 09:39
S79	155	(712/33).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/03/29 09:39
S80	11	(Shaw\$ and Mcclurg\$ and Jensen\$ and Fish\$ and Moore\$).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/03/29 09:39
S81	57	((ALU or (execution near4 unit)) near4 branching) and @pd<="19991231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/03/29 09:40
S82	0	((ALU or (execution near4 unit)) near4 branching near4 address near4 calculat \$3) and @pd<="19991231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/03/29 09:40
S83	2	((ALU or (execution near4 unit)) near4 branching near4 address) and @pd<="19991231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/03/29 09:40
S84	41	((ALU or (execution near4 unit)) with branching with address) and @pd<="19991231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/03/29 09:40
S85	7	((ALU or (execution near4 unit)) same (branching with address with calculation)) and @pd<="19991231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/03/29 09:40
S86	14	(instructions near4 fetch\$3 near4 (single or one) near4 clock) and @pd<="19971231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/03/29 09:40
S87	16	(MIMD near4 fetch\$3 near4 instructions) and @pd<="19971231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/03/29 09:40
S88	17	(MIMD with fetch\$3 with instructions) and @pd<="19971231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/03/29 09:40
S89	98	(MIMD and (fetch\$3 with instructions)) and @pd<="19971231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/03/29 09:41

S90	27	(MIMD and (fetch\$3 with instructions)) and @pd<="19931231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/03/29 09:41
S91	86	(ALU near4 address\$3 near4 (calculat\$3)) and @pd<="19931231"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/03/29 09:41
S92	1	(instruction\$1 near4 streams) with (separate or distinct or different or (first and second)) with ((ALU or execut\$3) with ((input near4 output) or (read near4 write)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/03/29 09:42
S93	10	(instruction\$1 near4 streams) with ((ALU or execut\$3) with ((input near4 output) or (read near4 write)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/03/29 09:42

### EAST Search History (Interference)

< This search history is empty >

11/ 10/ 10 9:41:15 PM

C:\ Documents and Settings\ ALi\ My Documents\ EAST\ Workspaces\ 09051263.wsp